

SALW Guide

Global distribution and visual
identification


















Central African Republic

Country report

<https://salw-guide.bicc.de>

Weapons Distribution

The following list shows the weapons which can be found in *Central African Republic* and whether there is data on who holds these weapons:

AK-47 / AKM	 	MAT 49	
AK-74		Milkor MRGL	
AR 15 (M16/M4)		MP UZI	
DShk		RPD	
FN FAL		RPG 7	 
HK G3		RPK	
MAS 49/56			

Explanation of symbols



Country of origin



Licensed production



Production without a licence



Government: Sources indicate that this type of weapon is held by Governmental agencies.



Non-Government: Sources indicate that this type of weapon is held by non-Governmental armed groups.



Unspecified: Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

Note: This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

AK-47 / AKM

The AK 47 is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model 8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variations. The weapons are used by all former Warsaw Pact countries, and they are in service with numerous armed forces, both regular and irregular. They can be found in many countries in Asia and Africa.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	7.62 x 39mm
Length	870 mm
Feeding	Box magazine

AK 47



left view

AKM



left view

AK 47



right view

AK 47



right view



Kalashnikov & variants
001/md-01-300w.png
marking details (RUS)

Kalashnikov & variants
001/md-02-300w.png
marking details (RUS)

Kalashnikov & variants
001/md-03-300w.jpg
marking details (EGY)

Kalashnikov & variants
001/md-04-300w.jpg
marking details (CHN)

001/md-01-b-300w.png

Type: CHN Model 56 (AK47)



weapon specifics

Type: CHN Model 56 (AK47)

001/ws-02-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70 (AKM)

001/ws-03-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70 (AKM)



weapon specifics

Type: Former Yugoslavia Zastava M 70
(AKM)



weapon specifics

Type: AMD 65 (HUN)



weapon specifics

Type: PA Model 86 (ROU)



weapon specifics

AK 47



weapon specifics

The following ammunition can be used by the **AK-47 / AKM**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



AK-74

The AK 74 is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements. These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some early models are reported to have been converted AKMs, with the barrel re-sleeved to 5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variations. The weapons are used by all former Warsaw Pact countries, and they are in service with numerous armed forces, both regular and irregular. They can be found in many countries in Asia and Africa.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	5.45 x 39mm
Length	943 mm
Feeding	Box magazine

AK 74



right view

Type: modern AK 74



left view

Type: AKS 74

left view

Type: AK 74U

left view

Type: Vektor R4 (South Africa)

left view, the version is very similar to the Galil and the Valmet assault rifles

Kalashnikov & variants

026/md-01-300w.png

marking details (DEU)

Kalashnikov & variants

026/md-02-300w.png

marking details

Kalashnikov & variants

marking details (GDR rifle)

The following ammunition can be used by the **AK-74**:

5.45 x 39mm

Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm



AR 15 (M16/M4)

The heart of the AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases, through the gas key, enter the hollow cavity inside the bolt carrier and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. At least 8 million items were produced. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/Terab has been observed in South Sudan used by some rebel groups in 2013.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington
Length	986 mm
Feeding	Box magazine

Type: M 4

left view

AR 15 (M16/M4)

right view

Type: M 16A2

right view

Type: M 4 A1

right view

Type: NORINCO CQ (CHN)

right view. The TERAB rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The ARMADA rifle is a clone of the Norinco CQ manufactured by S.A.M. – Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines.

AR 15 (M16/M4)

marking details

AR 15 (M16/M4)



marking details

M 16A1, M 16A2, M 4, M 16A4 (from top to bottom)



comparison between different models

The following ammunition can be used by the **AR 15 (M16/M4)**:


5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm




DShk

The DShk was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Heavy Machine Guns</i>
Operating system	Gas operated, belt fed, air cooled, selective fire

Cartridge	12.7 x 108 mm
Length	1625 mm
Feeding	Belt



The following ammunition can be used by the **DShk**:

12.7 x 108 mm

Bullet diameter	12.98 mm
Case length	108 mm

Overall length	147.5 mm
----------------	----------

NO IMAGE

FN FAL

The FN FAL (Fusil Automatique Leger - Light Automatic Rifle) is one of the most famous and widespread military rifle designs of the 20th century. It can be found in both the 7.62 NATO and, very rarely, the 5.56 NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Dutch versions, there is no automatic fire mode. The gas system is fitted with a gas regulator, so that it could be easily adjusted for various environment conditions, or cut off completely, so that rifle grenades could be safely launched from the barrel.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, tilting breechblock, select-fire or semi-automatic only
Cartridge	7.62 x 51mm / .308 Winchester
Length	1100 mm
Feeding	Box magazine

Type: ISR FAL "Romat"



left view

FN FAL



left view

FN FAL





right view

FN FAL



right view



The following ammunition can be used by the **FN FAL**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



HK G3

The furniture can be wood or plastic. The plastic stock may be green, sand or black. There is also a collapsing stock. The rifle is hammer fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging (fire selector in the “E” or “1” position – single fire mode, “F” or “20” – automatic fire, “S” or “0” – weapon is safe, trigger disabled mechanically). The weapon can be fitted with an optional 4-position safety/fire selector group illustrated with pictograms with an ambidextrous selector lever. The additional, fourth selector setting enables a 3-round burst mode of fire. Around 10 million items have been produced.



Category	<i>Assault Rifles</i>
Operating system	Roller-delayed blowback
Cartridge	7.62 x 51mm / .308 Winchester
Length	1023 mm
Feeding	Box magazine

Type: G3 A1



left view

Type: G3 A3



left view

Type: G3 A3ZF

left view

Type: G3 A4

left view

Type: G3 A3

right view

Type: South African G3

The butt is very similar to the FN FAL

Type: CETEME rifles (Spain)

right view, CETEME model B, the "father of the G3 rifle"

Type: CETEME rifles (Spain)

right view

HK G3

right view

HK G3

marking details

HK G3



marking details

HK G3



marking details

The following ammunition can be used by the **HK G3**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



MAS 49/56

The MAS 49/56 uses a direct gas impingement system without a gas piston. Instead of the gas piston, the powder gases are fed from the barrel through the gas tube directly to the front face of the bolt carrier. Many MAS-49/56 rifles imported as surplus in the USA, had been rechambered to fire the 7.62x51mm NATO round.



Category	<i>Rifles & Carbines</i>
Operating system	Gas operated, tilting bolt
Cartridge	7.5 x 54mm
Length	1020 mm
Feeding	Box magazine

MAS 49/56



right view

MAS 49/56




right view

MAS 49/56




right view

MAS 49/56



marking details

MAS 49/56



marking details

MAS 49/56



marking details

The following ammunition can be used by the **MAS 49/56**:

7.5 x 54mm

Bullet diameter	7.8 mm
Case length	54 mm

Overall length	78 mm
----------------	-------





MAT 49

For some 30 years, the MAT 49 was widely used by French military and police forces; it was used throughout the Indochinese and Algerian campaigns. The weapon can still be encountered in former French colonies in Africa and Indochina. It should be noted that North Vietnam once produced a local copy of the MAT 49, chambered for 7.62mm TT rounds. MAT 49s manufactured for police forces, had two triggers, allowing use of full-auto fire or single shots, but most were manufactured as full-auto only.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, fired from open bolt
Cartridge	7.62 x 25mm Tokarev 9mm Parabellum (9 x 19mm)
Length	404 mm
Feeding	Box magazine



MAT 49



marking details

MAT 49




marking details

MAT 49



marking details

MAT 49



marking details

The following ammunition can be used by the **MAT 49**:

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm

Overall length	29.69 mm
----------------	----------



Milkor MRGL

The Milkor (Milière Korporasie) MRGL (Multi-Range Grenade Launcher) is the fourth generation of six-shot launchers that was first introduced in the 1980s by the South African company and developed into a family with several variants. The MRGL fires with an effective range of 375 m to 800 m, depending on the ammunition used. The launcher is lightweight, semi-automatic, and shoulder-fired and can deliver its six rounds in less than three seconds.



Category	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
Operating system	semi-automatic
Cartridge	40 x 46 mm grenade
Length	761 mm
Feeding	6-chamber revolving cylinder

The following ammunition can be used by the **Milkor MRGL**:

40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-

NO IMAGE

MP UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better-balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. It was built in Belgium under license for export to Germany and Iran. Croatia manufactured unlicensed copies of the Uzi and Micro-Uzi called the ERO and Mini ERO respectively. Mini- and Micro-Uzi submachine guns are produced either in open-bolt or closed-bolt versions.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	470 mm
Feeding	Box magazine

Type: CHN, Norinco Uzi



left view, , sporter model single action, semi-automatic

MP UZI



right view

MP UZI



right view

MP UZI



right view

Type: Mini Uzi



right view

Type: Micro Uzi



right view

MP UZI



marking details

MP UZI



marking details

MP UZI



marking details

The following ammunition can be used by the **MP UZI**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm





RPD

The RPD (Ruchnoy Pulemet Degtyarova - Degtyarov Light MG) was one of the first weapons designed to fire a new, intermediate cartridge 7.62x39mm. During its service life, the weapon was modernized several times.


The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, full auto only
Cartridge	7.62 x 39mm
Length	1037 mm
Feeding	Boxed belt



RPD



marking details

RPD



weapon specifics

The following ammunition can be used by the **RPD**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm





RPG 7

The RPG 7 was made under license by many companies in many countries, it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Portable Anti-tank Guns</i>
Operating system	Recoilless launch + rocket booster

Cartridge	
Length	650 mm
Feeding	front-loaded, manual reload





Type: RPG-7D anti-tank grenade launcher



Version for airborne troops, disassembled for transportation / airdrop

RPG 7



marking details

RPG 7



marking details


The following ammunition can be used by the **RPG 7**:

RPK

The RPK was made under license by many companies in many countries. It was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, magazine fed, air cooled, selective fire
Cartridge	7.62 x 39mm
Length	1040 mm
Feeding	Box magazine





The following ammunition can be used by the **RPK**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

A. Written - the source is based on written words.

B. Oral - the source is based on spoken words.

C. Visual - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

Table: Examples of sources on SALW distribution

	Primary	Secondary
--	---------	-----------

Written	<ul style="list-style-type: none"> • Fact books • Weapons Transfer authorizations • End-user certificates • Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia • Newspaper articles • Written correspondence (e.g. letters, emails, text messages, etc.) • Blogs • Peer-reviewed journal articles • Treaties, constitution, laws • Records of organizations (e.g. annual reports) • Surveys, questionnaires <p>Etc...</p>	<ul style="list-style-type: none"> • Wikipedia • Literature reviews • Training or safety manuals on gun control, ammunition, physical stockpile security management) • Minutes of meetings, conferences, symposia • Indexes (e.g. Global Militarization Index) • Newspaper articles <p>Etc.</p>
Oral	<ul style="list-style-type: none"> • Interviews with experts, including radio or telephone • Legal proceedings • Speeches or interventions by experts or national representatives in government or international meetings <p>Etc ...</p>	<ul style="list-style-type: none"> • Speeches, panel presentations, etc. on data provided by experts <p>Etc...</p>
Visual	<ul style="list-style-type: none"> • Artifacts (e.g. the weapons themselves, ammunition) • Photographs of weapons, ammunition, etc. • Videos (e.g. YouTube, those recorded by mobile phone) • Television documentaries, news reports <p>Etc ...</p>	<ul style="list-style-type: none"> • PowerPoint presentations on results found by experts <p>Etc...</p>

Table: Example tags

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

Contact

**Internationales Konversionszentrum Bonn -
Bonn International Center for Conversion (BICC) GmbH**

Lars Wirkus
Head of Data & Geomatics
Pfarrer-Byns-Str. 1
53121 Bonn

Germany

E-Mail: wirkus@bicc.de

Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Captain Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

Overall project coordination

Lars Wirkus

Head of Data & Geomatics

Bonn International Center for Conversion (BICC)

Responsible for all content (including photos):

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Captain Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

Responsible for design, editorial and technical implementation:

Internationales Konversionszentrum Bonn - Bonn International Center for Conversion (BICC) GmbH.

Technical management: Lars Wirkus

Programming: Rolf Alberth